To: Peninguli Plating File



STATE OF DELAWARE
DEPARTMENT OF NATURAL RESOURCES
& ENVIRONMENTAL CONTROL

DIVISION OF AIR & WASTE MANAGEMENT

89 Kings Highway P.O. Box 1401 Dover, Delaware 19903



TELEPHONE: (302) 739 - 4791 Fax No.: (302) 739 - 3106

AIR QUALITY MANAGEMENT SECTION

May 25, 1995

John Donaway Peninsula Plating Route 5 Box 1C Blades, DE 19973

Dear Mr. Donaway,

The purpose of this letter is to confirm our May 24, 1995 discussions concerning the status of your facility with Delaware's Emergency Planning and Community Right-to-Know Act (EPCRA) requirements. The discussions, which took place during our visit to your facility, were as follows:

- 1. Within 30 days from the date of our discussions, you will compile and submit the necessary hazardous chemical inventory reports and associated reporting fees for your facility. Upon your request, we will provide assistance in completing the reports.
- 2. We strongly urge you to:
  - A. Continue your efforts to improve chemical storage practices at your facility.
  - B. Review the status of your worker right-to-know activities. To assist you in this area, information is attached concerning free OSHA consultation services.
  - C. Contact your local Fire Department and provide them an opportunity to tour your facility.

In addition to the above, we also recommend you contact Lynn Bullock, your Local Emergency Planning Committee (LEPC) representative, at (302) 855-7801. Based upon the substances stored at your facility, the Sussex County LEPC will require additional information concerning your facility as part of their efforts to establish and maintain community emergency plans.

If you have any questions or need additional information, please feel free to contact me.

Peninsula Plating Page Two

Sincerely,

Robert A. Pritchett, Manager EPCRA Reporting Program

Robert a. Pritekett

## Attachment

cc:

Bob Barrish

Lynn Bullock Anthony Di Giuseppe

John Mohrman Alan Simpson Chris Vennard